

DATA INFORMATION NOTICE IN ACCORDANCE WITH REGULATION (EU) 2023/2854 ('DATA ACT') FOR CONNECTED PRODUCTS

6000 FIRE ALARM RANGE ("PRODUCT")

Connected products and related services of Protec Fire & Security Group Limited generate various data and information during their use. Below you will find information on the product data generated by the Product, data access and your data rights.

1. TYPE, FORMAT AND ESTIMATED VOLUME OF PRODUCT DATA

The following product data may be generated during operation and use of the Product. The actual data generated varies depending on the specific use of the Product.

1.1 Types of product data

- (a) Physical data: Environment data (e.g. temperature, pressure, power, energy)
- (b) Device identification data (e.g. serial number, hardware and software version)
- (c) Status data (e.g. on/off, present/not present)
- (d) Error messages
- (e) Setting values / user configurations (e.g. room setpoint temperature, time programmes)
- (f) [Diagnosis Data (e.g. voltage data, working hours, pollution levels, etc.)]

1.2 Estimated volume

The estimated volume of product data varies depending on the data point and the use of the Product, with data volumes per data point ranging 250 KiB/h – 10 MiB/h.

1.3 Data format

The product data is stored within the Product in various data formats and, as part of a data export, is provided at least in the following data format: XML, TXT, JSON

1.4 Currentness of product data

The product data in the Product is generated [during use and operation in real time and continuously; at different intervals depending on the type of data property. Intervals range from 15min to once every 24h..

2. STORAGE LOCATION AND STORAGE DURATION

The product data is stored in the Product

3. ACCESS MODALITIES

Direct product data access is available at the USB interface of the panel.

4. TECHNICAL MEANS AND REQUIREMENTS FOR DATA ACCESS:

- (a) A computer with associated software and data cable
- (b) Individual usage requirements

5. TERMS

Users and third parties are prohibited from using or providing data received to derive insights about IP, know-how, technical implementations, the economic situation, assets and production methods of Bosch and its affiliates. The provision of data to other parties may only take place based on strict confidentiality obligations and technical access restrictions in order to protect legitimate interests of Bosch and its affiliates.

6. LIST OF ANNEXES

The following Annexes form an integral part of this notice:

Annex	Content
6000/16ZAI	16 Way Zone Alarm Interface Unit (Requires 24 volt Supply)
6000/16ZI	16 Way Zone Interface Unit
6000/16ZOI	16 Way Zone Input Normally Open Output Interface Unit (Requires 24 volt Supply)
6000/2APZA	2 x Zone & 2 x Alarm Interface Unit (Din Rail Mounted 3 Way) (Requires 24 volt Supply)
6000/2LPZA	2 x Zone & 2 x Alarm Interface Unit (Din Rail Mounted 3 Way) (Loop Powered)
6000/APZA	Zone Alarm Interface Unit, Flush 2 Gang Plate (Requires 24 volt Supply)
6000/BEAM/IF	Beam Interface Unit for Firebeam, Flush 2 Gang Plate (Loop Powered)
6000/CCO	Clean Contact Output Interface Unit (Din Rail Mounted 1 Way) (Complete with Watchdog Software)
6000/LCM	Local Control Module Flush 2 Gang Plate
6000/LOOP/REPEATER	6000 Loop Powered Repeat LCD
6000/LPZA	Zone Alarm Interface Unit, Flush 2 Gang Plate (Loop Powered)
6000/MCP/EXP	MANUAL CALL POINT C/W ISOLATOR
6000/MCP/WP	Weatherproof Manual Call Point
6000/MICCO	Monitored Input Clean Contact Output Interface Unit, Flush 2 Gang Plate
6000/MIP	Monitored Input Interface Unit (Din Rail Mounted 1 Way)
6000/SSR/VAD	Combined Sounder & VAD, White LED, Red Body, Loop Powered
6000/SSR2/LED/RED	IP65 Loop Sounder, Shallow Base, Red (100DBA)
6000/SSW2/NL	IP65 Loop Sounder, Shallow Base, White (100DBA)
6000/VAD/C/RED	Ceiling Mount VAD, White LED, Red Body, Loop Powered

6000/VAD/W/RED	Wall Mount VAD, White LED, Red Body, Loop Powered
6000/VAD/W/WHITE	Wall Mount VAD, White LED, White Body, Loop Powered
6000-001-0036	DISPLAY BOARD 40-FA469-00G & LCD 04-829-02A (Complete replacement door)
6000P/HT/SVAD	6000 PLUS SERIES HEAT DETECTOR WITH SOUNDER & VAD
6000P/OPHT/SVAD	6000 PLUS SERIES OPTICAL HEAT WITH SOUNDER & VAD
6000P/OPHT/VAD	Optical Heat Sensor Complete with LED VAD
6000P/S	6000PLUS Discrete Ceiling Sounder (Base Required)
6000P/SVAD	6000PLUS Discrete Ceiling Sounder VAD (Base Required)
6000PLUS	6000PLUS Common Base