

## **DATA INFORMATION NOTICE IN ACCORDANCE WITH REGULATION (EU) 2023/2854 ('DATA ACT') FOR CONNECTED PRODUCTS**

### **CIRRUS ASPIRATING RANGE ("PRODUCT")**

Connected products and related services of Protec Fire & Security Group Limited generate various data and information during their use. Below you will find information on the product data generated by the Product, data access and your data rights.

#### **1. TYPE, FORMAT AND ESTIMATED VOLUME OF PRODUCT DATA**

The following product data may be generated during operation and use of the Product. The actual data generated varies depending on the specific use of the Product.

##### **1.1 Types of product data**

- (a) Physical data: Environment data (e.g. temperature, pressure, power, energy)
- (b) Device identification data (e.g. serial number, hardware and software version)
- (c) Status data (e.g. on/off, present/not present)
- (d) Error messages
- (e) Setting values / user configurations (e.g. room setpoint temperature, time programmes)
- (f) [Diagnosis Data (e.g. voltage data, working hours, pollution levels, etc.)]

##### **1.2 Estimated volume**

The estimated volume of product data varies depending on the data point and the use of the Product, with data volumes per data point ranging 250 KiB/h – 10 MiB/h.

##### **1.3 Data format**

The product data is stored within the Product in various data formats and, as part of a data export, is provided at least in the following data format: XML, TXT, JSON

##### **1.4 Currentness of product data**

The product data in the Product is generated [during use and operation in real time and continuously; at different intervals depending on the type of data property. Intervals range from 15min to once every 24h..

## 2. STORAGE LOCATION AND STORAGE DURATION

The product data is stored in the Product

## 3. ACCESS MODALITIES

Direct product data access is available at the USB interface of the panel.

## 4. TECHNICAL MEANS AND REQUIREMENTS FOR DATA ACCESS:

- (a) A computer with associated software and data cable
- (b) Individual usage requirements

## 5. TERMS

Users and third parties are prohibited from using or providing data received to derive insights about IP, know-how, technical implementations, the economic situation, assets and production methods of Bosch and its affiliates. The provision of data to other parties may only take place based on strict confidentiality obligations and technical access restrictions in order to protect legitimate interests of Bosch and its affiliates.

## 6. LIST OF ANNEXES

The following Annexes form an integral part of this notice:

Annex	Content
N 61-986-H1	Hybrid Aspirating Fire & Smoke Detector (with CCD and 1 x SCD)
N 61-986-H2	Aspirating Fire & Smoke Detector (with CCD and 2 x SCD)
N 61-986-H3	Aspirating Fire & Smoke Detector (with CCD and 3 x SCD)
N 61-986-H4	Aspirating Fire & Smoke Detector (with CCD and 4 x SCD)
N 61-986-H2S	SCANNER Aspirating Fire & Smoke Detector (with CCD and 2 x SCD)
N 61-986-H3S	SCANNER Aspirating Fire & Smoke Detector (with CCD and 3 x SCD)
N 61-986-H4S	SCANNER Aspirating Fire & Smoke Detector (with CCD and 4 x SCD)
61-986-98	Cirrus Pro Single Address Interface Unit
61-986-99	Cirrus Pro Four Address Scanner Interface Unit
61-986-C1	Aspirating Fire Detector CCD
61-986-C2S	Scanner Aspirating Fire Detector 2 Pipe
61-986-C3S	Scanner Aspirating Fire Detector 3 Pipe
61-986-C4S	Scanner Aspirating Fire Detector 4 Pipe
51-450-00	CCD Airflow Monitoring Sensor Module Only
61-986-H1	Cirrus HYBRID 1 (1 Pipe)
61-986-H2	Cirrus HYBRID 2 (2 Pipe)

61-986-H3	Cirrus HYBRID 3 (3 Pipe)
61-986-H4	Cirrus HYBRID 4 (4 Pipe)
61-986-H2S	Cirrus HYBRID 2 (2 Pipe Scanner)
61-986-H3S	Cirrus HYBRID 3 (3 Pipe Scanner)
61-986-H4S	Cirrus HYBRID 4 (4 Pipe Scanner)
51-432-00C	Cirrus HYBRID OP SCD module only
61-986-C1	Cirrus CCD - 1 Pipe
61-986-C2S	Cirrus CCD - 2 Pipe Scanner
61-986-C3S	Cirrus CCD - 3 Pipe Scanner
61-986-C4S	Cirrus CCD - 4 Pipe Scanner
61-986-C1ND	Cirrus CCD - 1 Pipe ND
61-986-C2SND	Cirrus CCD - 2 Pipe Scanner ND
61-986-C3SND	Cirrus CCD - 3 Pipe Scanner ND
61-986-C4SND	Cirrus CCD - 4 Pipe Scanner ND
51-450-00	Cirrus CCD Airflow Monitoring Sensor module only
61-986-HRDP	Aspirating Detector Remote Display Programmer (ADRDP)
61-986-95	Cirrus Pro Locator - Portable Detector